Aceu Aire

QUANTUM

NEW

# Jensen AM/FM/CD Sirius Stereo Combo Package

MSR4050G AM/FM/CD Sirius Satellite Ready Stereo

- 160 Watts
- · AM/FM/CD
- SIRIUS Satellite Radio Ready
- Front 1/8" stereo plug for an I-Pod or MP3 player
- Positive LCD Display
- Zero Memory Current Draw
- Wired Remote capable (MWR75 -MWR100)
- Wireless Remote Capable (MRF 27)

#### AMS602W Speakers:

• 6-1/2" Coaxial Speaker - 60 Watts - White

Model Item Ship 253117 **CPM 405** II lbs \$199.95



Net

# **Lowrance LMS-525C DF** Sonar/GPS Chartplotter Combo

#### MSR4050G AM/FM/CD Sirius Satellite Ready Stereo

- I6-bit color SolarMax<sup>™</sup> TFT
- 480 x 480 display resolution
- Dual-frequency 50/200 kHz
- Precision 12-parallel channel external GPS+WAAS receiver
- Lowrance radar compatible
- LowranceNET® networking (NMEA 2000® certification pending)
- 5-pin Ethernet expansion port compatible for radar and satellite radio

Designed for salt water or downrigger tracking, this dual-frequency sonar/GPS chartplotter provides additional 50 kHz readings, in addition to a high-res 480 x 480 display on a 5" screen and many professional features.

<u>Model</u> Ship <u>ltem</u> 256890 123-36 \$646.99



5" diagonal, 256-color, SolarMAX, TFT display for maximum visibility and widest viewing angles even in bright sunlight. The SolarMAX Color Display is a proprietary Lowrance color screen technology that uniquely produces maximum visibility with the widest viewing angles even in bright sunlight. Also enhances the rendering of exceptional display detail and definition. You must add this display to an existing system as a second station or add a



transducer for sonar readings and an antenna for GPS. The unit will not work without a transducer and antenna!

- 480 x 480 pixel resolutionscent cold-cathode screen and keypad backlighting
- Requires high-speed, transom-mount 200 kHz Skimmer transducer with built-in temp sensor and up to 60° of fish detection coverage
- 2,400 watts peak-to-peak power, depths to 900 ft.\*
- Compatible for NMEA 2000 networking/radar/satellite radio
- 5-pin Ethernet expansion port compatible for radar, video and satellite radio
- NMEA 2000 Connectivity: Designed compatibility for versatile performance datasharing with all NMEA 2000 protocol networks and sensors.

Model Ship M.A.P. Item 256939 123-41 6 lbs \$599.00

\*Actual depth capabilities depend on transducer configuration and installation, bottom composition and water conditions. All sonar units typically read deeper in fresh water than salt water.

# **Grundig G6 Aviator Radio**

With the Grundig G6 Aviator at your side, you'll always have great listening options. Tune in to AM, FM, the VHF aircraft band or shortwave frequencies easily with direct keypad entry. Or, use the AUTO tuning feature to browse stations and stop on the next available frequency. You can also use "D5" tuning to get a taste of what's playing—stop on the



next available frequency for five seconds at a time. This advanced dual conversion circuit also features the reception of S.S.B. (Single Side Band) signals. Use the international clock and wake-up alarms to keep you on schedule, wherever your travels take you.


This radio comes with an AC adapter and earbuds. It can operate from two regular or NiCad AA cells (not supplied)

<u>ltem</u> Model 252118 G6 2 lbs \$89.99

#### **Quantum Accuaire 750 OZONE AIR PURIFIER UP TO 750 SQ. FT.**

Enhance the boating experience for owners, operators, and their passengers while effectively maintaining the environmental quality of all living spaces with the AccuAire TM 750. An operational compliment to the vessels with the BilgeBuster™ system(s) already installed.
Utilizes patented Puri-Stat™ sensor technology

that allows for fully automatic operation. The



- Works in both Sensor and Manual mode
- Maintenance Free Ozone Plates
- Quiet Operation (40cfm fan)
- **Fully Automatic**
- Produces Negative Ions
- 6ft 12 Vdc Car Adapter
- Works on both 12V DC and 110V AC
- Re-Usable, washable filters
- Made in USA

Size:

8" L x 6.5" W x 4.25" H


Weight: 2 lb Color: Black Enclosure: ABS Plastic

12 Vdc @ 1.2 Amp (110 Vac Adapter included) Power:

Fan Speed: 40 CFM 14 Watts Watts:

<u>Model</u> Ship Item <u>Net</u> ALS-750 \$424.99

#### **Aqua Signal Watertight Engine Room Light - 12 VDC** FOR SPORT OR FISHING BOATS





- Designed According to rules of maritime classification societies, additional VDE and IEC/EN.
- Meets requirements for SAE[1171 for ignition protection. Protection degree: IP67 Specifications:
- Housing: Zinc coated steel sheet, deep drawn, seamless
- Finish: Powder coated white RAL 9016 and enamelled up to 70 80 lm thickness
- Diffuser: Polycarbonate clear
- Electric: Flexible wiring, heat resistant up to 105°C (221 F)
- Cable entry: IxM20x1.5 plastic for cable dia. 7-13 mm + 3 blind plug M20x1.5 plastic
- Lamp base: G5
- Light sources (not included):T16 fluorescent lamp 8W (Part No. 91024-1)
- Mounting: 2 mounting holes dia. 10 mm

Model <u>Net</u> 700993 10242-1 Watertight Engine room light 5 lbs \$418.95 700994 91024-1 Fluorescent light - For use with 10242-1 Watertight Engine 17.99 Room Light (uses 2 bulbs) I lbs


# Wheelhouse Marketing **Underwater Boat Accent Lights**

- 12 high bright, energy efficient white LEDs, visible to 12' (depending on water clarity)
- Low current draw, 0.15 Amp per light, does not require
- power supplies or Ballasts, just hook to DC power · Reverse polarity protection, the unit will not damage if
- hooked to reverse supply, just correct and turn back on
- · The unit is so efficient that most of the energy is turned into light and not heat
- Operating Voltage: 12 to 36 Volts
- Operating Current: I20mA (typical) I50mA (max)
- Voltage ripple tolerance: 0.5 Volt (max)
- Thermal Cutoff, "OFF" threshold,: 177 to 180 Deg F
- Thermal Cutoff, "ON" (recover) threshold: 165 to 168 Deg F
- Light Materials: ABS and Tempered Glass
- Housing Material: ABS or Bronze
- Cable length: 10 feet
- Maximum Hull Thickness: 2.5"
- Warranty: I year from date of purchase
   NYLON HOUSING

MILON UA	טאוכטל		
<u>ltem</u>	<u>Model</u>	<u>Ship</u>	<u>Net</u>
700372	WHM-LEDW-12-P (White LED)	2 lbs	\$159.99
	WHM-LEDB-12-P (Blue LED)		
	WHM-LEDG-12-P (Green LÉD)		

#### **BRONZE HOUSING**

WHM-LEDW-12-B (White LED) 2 lbs 209.99 700373 WHM-LEDB-12-B (Blue LED)



Item

700367

AquaGard® Mooring Line Paint

· For mooring lines and anchor lines

• Prohibits algae, fungal growth & marine fouling organisms

NEW!

- Simple application just dunk it!
- UV protection
- Flexible
- · Anti-abrasive coating prolongs mooring line life
- Waterbased
- Excellent adhesion to synthetic and natural fibers
- Long lasting
- Low VOC
- · Low leach out

Model Net/2 Gallon Item Ship 751324 51201 20 lbs \$124.99

AquaGard® Flexabar® Buoy Coating

- For PVC & Inflatable Vinyl Buoys and floats
- · Chemically bonds with the buoys for highest durability
- Colorfast & UV resistant
- · Oil & gas resistant
- · High visibility
- Superior adhesion- won't crack
- · Commercially used and proven
- The choice of commercial fisherman worldwide

· Rugged durability

Please Specify Color: Green, Blue, Red, Orange or White

Ship Quart Item **©** 751325 3 lbs \$18.99

#### **AquaGard® 190 Waterbased Primer**

- For Aluminum or Wooden Surfaces
- · Chemically bonds to aluminum
- · Excellent resistance to corrosion and salt
- · Improves adhesion of final coat
- Compatible with all other top coats
- · Formulated for use with Alumi-Koat Antifouling Paint
- Exceeds VOC standards
- · No toxic fumes
- Waterbased
- · Cleans up with soap and water

<u>ltem</u> <u>Model</u> Ship Quart 751326 25009 \$24.99



The solar powered RailLight™easily attaches to railings on boats, RVs, decks and much more. Are you looking for solar powered light you can mount anywhere? The tough, secure rail clamp will quickly fasten and unfasten to any rail without scratching the finish and you can adjust the angle and height to match your space and needs or use the larger transom clamp



that attaches in either a horizontal or vertical position and will quickly secure the RailLight to any edge up to two inches thick. There's a so you can easily turn off the RailLight if you want total darkness.

- · Made from coated stainless steel to resist corrosion and provide years of service
- Sturdy, lightweight and waterproof
- Solar panel is designed for many years of use
- Bright white LEDs will last for over 10,000 hours
- Charge up the RailLight outside during the day and use it inside your boat at night
- Easily attaches to railings from 3/4" to 1 1/4"
- Comes complete with two types of clamps:
  - Circular rail clamp that will easily clip onto any round rail

<u>Ship</u>

I lbs

- Larger transom clamp that attaches in either a horizontal or vertical position and will quickly secure the RailLight to any edge up to two inches thick
- · Attaches in seconds; no wires, no batteries, no costly installation
- · Small, weather-protected on/off switch Model

5201

**Maretron Simnet to** IEW! NMEA 2K Cable Adapter

The Simrad SimNet Product to NMEA 2000® Network Adapter Cable, manufactured by Simrad, is used to connect a Simrad SimNet product like the NMEA 2000®/NMEA 0183 Adapter (AT10) or CX NavStation Series products to an NMEA



Net

\$26.95

2000® network. The cable is 0.5 meters in length and has a female SimNet connector on one end and a standard male NMEA 2000® Micro Series connector on the other end.

<u>Model</u> Ship Net ltem 24005729 256928 I lbs \$89.99

#### Taylor Made Products Rubber **Spreader Boots**

Features:

- · Made of soft, tough, white synthetic rubber
- Protect rigging connections
- · Eliminate clumsy, temporary taping
- Reduce drag
- · Resistant to weather, sea, temperature extremes and hard use
- · Reduce sail chafing & tearing
- · Molded in split form
- · Fit quickly and easily over the stay and spreader end

<u>ltem</u> .	Model ′	<u>Description</u>	<u>Ship</u>	Net
613670	960025	Fits over 1/2" - 1" Spreader	l Ibs	\$19.99
613671	960026	Fits over I" - 2" Spreader	l lbs	23.99
613672	960027	Fits over 2" - 2" Spreader	l lbs	26.99

# Watercounter™ Water Management System

Allows you to:

ABAR


**Buoy Coating** 

AQUAGARD

WATERBASE

Prime

- · Accurately check the capacity of your tank.
- · Preset the capacity of your tank in the Digital Display



- · As you use water the Digital Display counts down (by gallons) to zero.
- · A preset reserve can be established (if desired).
- Track water usage from several tanks with only one gauge.

Watercounter<sup>™</sup> comes to you with the Computerized Digital Display formatted to read from zero up when the reset button is pushed. This allows you to find out how much water you can draw from your tank. Once this is determined (by topping off and using the water until the tank is empty) you simply reset the digital display to count down and change the zero set point to whatever is the gallon capacity of your tank. Each time the tank is topped off and the reset button is pushed the display shows the capacity of your tank and counts down (as gallons are used) always showing exactly how many gallons of water you have.

Item Model Ship Net WCI 501237 3 lbs \$285.00

# SCADtech SensiStat Energy **Saver Refrigeration Controller**

Works with your 12 or 24-volt holding (aka holdover) plate refrigeration system and reduces your battery usage by:

I. Providing extremely precise thermal control thus reducing excess running of your refrigeration compressor

2. Automatically utilizing available "excess" power while your batteries are charging. This reduces the amount of battery energy used each day for refrigeration and saves you hours of battery charging time each week. This savings translates to real dollars as you will use less fuel for battery charging and reduce wear-and-tear on your engine or generator.

A typical thermostat turns on your refrigeration compressor to freeze holding plates solid. The plates are then allowed to defrost to a temperature approximately 80 F higher before the compressor is turned on again and the plates are refrozen. The difference between the freezing temperature and the "defrosted" temperature is known as hysteresis or differential. This is the most energy efficient method and the more precise the control, the more efficient the system and the more likely your ice cream will remain solid. The SCADtech SensiStat refrigeration controller, with a resolution of 1/10o F provides unparalleled precision of control. What's more, the SensiStat comes with temperature sensors to allow you to monitor and display both the holding plate temperature and refrigeration box temperature.

Normal thermostats also do not take advantage of randomly available "free" power provided whenever your engine or generator are running and charging your batteries. Since batteries can only charge so fast, there is normally plenty of extra generation capacity available to run your refrigeration system "for free", that is using energy without depleting your batteries. When the SCADtech SensiStat refrigeration controller detects charging level voltages, it closes down the hysteresis to only Io F and uses the available free power to "top-up" the freeze on your holding plates. For example, when you are motoring into an anchorage at the end of the day, The SensiStat will automatically run your refrigeration compressor while your engine is running and save you all the battery energy that would have been used later in the evening running the refrigeration compressor for the same amount of time directly off the batteries.

You can also tell the SCADtech SensiStat refrigeration controller to ignore extra power (such as while plugged in a dock) or to force a freezing of the holding plates for up to 60 minutes

Additionally, the SCADtech SensiStat detects excess voltages which might damage your refrigeration system alerts you and does not over-ride the differential when excess voltages are

Finally, although the factory settings will work for most sailors, you can custom program the voltage threshold at which the SCADtech SensiStat overrides the differential. You can also set the holding plate freezing temperature, the normal and override differentials, the displayed temperature scale (Fahrenheit or Centigrade), and whether the holding plate or box temperature is displayed by default.

Item Model Ship <u>M.A.P.</u> 400694 10020 I lbs \$298.95



### Airis Play Inflatable Kayaks

The Airis Play is the perfect recreational inflatable kayak. The shorter length makes it easy to manuever, whether you are exploring, or tackling whitewater. The bow keel and maximized rear skeg surface area deliver excellent tracking performance. Take Play exploring in coves, dive from it on a snorkeling adventure, or take it out in surf or river whitewater. Now you can take fun with you, wherever you go. AirPack M backpack included! The Airis Play is incredibly lightweight, extremely stable and is quick to set-up so you'll be in the water in no time. Features and components:

Hi-Pressure AirWeb™ hull & floor (patent pending) Bow keel & rear skeg for excellent tracking Two molded carrying handles

Two drain valves Repair kit

AirPack<sup>™</sup> deluxe portaging backpack Splash guard

Four D-rings for attaching accessories Two cup holders Paddle sold separately

Adjustable back rest Hi-Pressure air pump with gauge

Storage bungee Bow bumper rail

# Kayak 8' 0"

454637



36 lbs

Kayak 9' 0" Style: 9' 0" Length:

Kayak 11' 0"

Style:

Length:

Beam:

<u>ltem</u>

454640

Weight:

Air Chambers:

Person Capacity:

Maximum Load:

Stored Dimensions:

Factory Warranty:

Air Pressure:

33" Weight: 18 Lbs Air Chambers: 2 Person Capacity: Maximum Load: 250 Lbs Air Pressure: 6.5psi Stored Dimensions: 28" x 15" x 21'

Factory Warranty: 2 year factory warranty <u>ltem</u>

454638 16426 Play 9.5 37 lbs

# Inflatable Sit On Top Kayak Ship <u>Net</u>

#### 16425 Play 8 Airis Sport Inflatable Kayaks

Loaded with features, the Airis™ Sport is a versatile kayak perfect for short expeditions or fun day trips. The long hull design combined with the rear skeg and bow keel, allow Sport to track straight making paddling easy. The bungee tie downs and integrated dry storage compartment are great for transporting gear while the rubber handles and lightweight hull make it the ideal kayak for portages. Whether you're exploring, fishing or on a quick paddle, the Airis Sport is sure to provide fun & adventure. AirPack™ backpack included!

The Airis Sport is ultra portable, super stable and simple to set-up. Kayaking has never been so easy. Available in two lengths for different sized riders. Sport is suitable for calm water and can be accessorized to fit your desired use.

Available in two lengths for different sized riders. Play is suitable for calm or whitewater and can be accessorized to fit your desired use. Features and components:

\$749.00

Hi-Pressure AirWeb™ hull & floor (patent pending) Bow keel & rear skeg for excellent tracking Four molded carrying handles

Two drain valves Repair kit

AirPack<sup>™</sup> deluxe portaging backpack Splash guard Four D-rings for attaching accessories

Two cup holders Two accessory attachment rails Adjustable back rest Hi-Pressure air pump with gauge Two storage bungees Bow bumper rail

Paddle not included

Inflatable Sit On Top Kayak

#### Kayak 10' 0" Style: Inflatable Sit On Top Kayak 10'0" Length: Beam: 33" Weight: 20 Lbs Air Chambers: 2 Person Capacity: Maximum Load: 250 Lbs Air Pressure: 6.5psi Stored Dimensions: 28" x 15" x 21"

<u>ltem</u> Ship Net 454639 16427 Sport 10 38 lbs \$1149.00

# Factory Warranty: 2 year factory warranty

# Harken 57mm ESP Swivel Mastbase Block

Cruising ESP (Elegant Simple Products) is a line of hardware that complements our existing blocks in looks and function, but is simpler in design and construction. Sheaves feature axle bearings to handle high static loads, and are ideal for halyards or limited purchase systems on cruising boats.

- Sheave dia. (in): 2 1/4 Length (in): 5 1/2 • Weight (oz): 7.7
- Clevis pin dia. (in): 5/16 • Max. line dia. (in): 5/8
- SWL (lb): 2500 • Breaking strength (lb): 5000 • Max. lockoff load (lb): 3/8

Model Item 604774 6059

- · Sheave dia. (mm): 57
- Length (mm): 140
- Weight (g): 218
- Clevis pin dia. (mm): 8
- Max. line dia. (mm): 16
- SWL (kg): 1135
- Breaking strength (kg): 2272
- Max. lockoff load (kg): 10 Net <u>Ship</u> I lbs \$56.99

# Harken 75mm ESP Single/Swivel/Becket Block

Cruising ESP (Elegant Simple Products) is a line of hardware that complements our existing blocks in looks and function, but is simpler in design and construction. Sheaves feature axle bearings to handle high static loads, and are ideal for halyards or limited purchase systems on cruising boats. Use swivel blocks in winch-driven purchases of 4:1 or less. Shackles lock at 90-degree intervals or swivels freely. Perfect for vangs or mainsheet systems on cruising boats from 35 ft to 45 ft (10 to 14 m).

- Sheave dia. (in): 3
- Length (in): 7-1/4
- Weight (oz): I3
- Clevis pin dia. (in): 5/16
- Max. line dia. (in): 3/4
- SWL (lb): 3500
- Breaking strength (lb): 7000

Model Item 600845 6084

- Sheave dia. (mm): 76.2
- Length (mm): 184.15
- Weight (g): 368.54
- · Clevis pin dia. (mm): 8
- Max. line dia. (mm): 19 • SWL (kg): 1587
- Breaking strength (kg): 3175

Ship Net \$84.99 2 lbs

# 16428 Sport 11 Harken 75mm ESP Fiddle Block

11'0"

21 Lbs

250 Lbs

6.5psi

28" x 15" x 21

2 year factory warranty

33"

2

Cruising ESP (Elegant Simple Products) is a line of hardware that complements our existing blocks in looks and function, but is simpler in design and construction. Sheaves feature axle bearings to handle high static loads, and are ideal for halyards or limited purchase systems on cruising boats. Use fiddle blocks in winch-driven purchases of 4:1 or less. Shackles lock at 90-degree intervals or swivels freely.



<u>Net</u>

\$1249.00

Perfect for vangs or mainsheet systems on cruising boats from 35 ft to 45 ft (10 to 14 m).

- Sheave dia. (in): 3 / 1 13/16
- Length (in): 8 3/8
- Weight (oz): 14.7
- Clevis pin dia. (in): 5/16
- Max. line dia. (in): 3/4
- SWL (lb): 3500

• Breaking strength (lb): 7000

Model Item 600839 6085

• Sheave dia. (mm): 75 / 46

- Length (mm): 213
- Weight (g): 415

39 lbs

- Clevis pin dia. (mm): 8 • Max. line dia. (mm): 19
- SWL (kg): 1587

• Breaking strength (kg): 3175

<u>Ship</u> Net





l	Furuno NavNet Cables									
ı	<u>ltem</u>	Model	Description	Ship	Net					
ı	257115	000-154-025	Navnet Power Cable Assembly, 3-Pin, 5M for	Navnet :	3D					
ı			,	2 lbs	\$72.99					
ı	257116	000-159-689	NavNet Display Adapter Cable, 6P(F) - RJ450	(M), 0.5 M	1eters					
ı				I lbs	36.99					
l	257117	000-149-054	DVI-D Cable Assembly, 5M for Navnet 3D	2 lbs	83.99					
l	257118	CBL-DVI-10M	DVI-D Cable Assembly, I 0M for Navnet 3D	3 lbs	99.99					
l	257119	000-166-945	Cable Assembly, 6M NMEA2000 DROP for N	√avnet 3[	)					
l				3 lbs	52.99					
l	257120	000-167-171	LAN Cable for NavNet 3D to PC, 3M, RJ45-							
l				I lbs	31.99					
l	257121	000-167-175	LAN Cable for NavNet 3D, 2M, RJ45-RJ45 (4	,						
l				I lbs	28.99					
l	257122	000-167-176	LAN Cable for NavNet 3D, 5M, RJ45-RJ45 (4							
l				2 lbs	40.99					
l	257123	000-167-177	LAN Cable for NavNet 3D, 10M, RJ45-RJ45							
l	257124	000 1/7 0/0	NIMEAGOOD III. III IM I III III	3 lbs	60.99					
l	257124	000-167-962	NMEA2000 light cable, IM, double-ended	l lbs	24.99					
l	257125	000-167-963	NMEA2000 light cable, 2M, double-ended	I lbs	24.99					
l	257126	000-167-964	NMEA2000 light cable, 6M, double-ended	3 lbs	28.99					
l	257127	000-167-965	NMEA2000 light cable, IM, single-ended	l lbs	44.99					
l	257128	000-167-966	NMEA2000 light cable, 2M, single-ended	l lbs	20.99					
l	257129	000-167-967 000-010-913	NMEA2000 light cable, 6M, single-ended	3 lbs	24.99					
l	257130	000-010-913	Single Junction Box NMEA2000 for FI Series	I lbs						
l	257131	RJ4-5CN-CRS	Creasever Coupley for DIAETO DIAE	l lbs	40.99 16.99					
١	257131	RI4-5CN-CRS	Crossover Coupler for RJ45 TO RJ45 Straight Coupler for RJ45 TO RJ45	l lbs	8.99					
l	257132	HUBIOI	Dedicated Interswitch Hub for NavNet 3D	7 lbs	532.99					
l	257134	000-157-995	Power Cable Assembly, Shielded, 5 Meters	2 lbs	75.99					
ı	231134	000-13/-773	I ower Cable Assembly, Sillended, 3 Meters	Z 103	13.77					

#### Hosecoil Washdown Hose

- Polyurethane
- Light Weight Easy to use
- Self Coiling Easy to stow
- 85-90% Usable Length Excellent extendibility
- Solid Brass/Stainless Steel Connectors -Improved flow rate and rust free use
  - 360 Gallons per Hour Flow Rate

<u>ltem</u>	<u>Model</u>	<b>Description</b>	<u>Ship</u>	
755443	H415SW	15 feet, White	2 lbs	

# HoseCoil Adjustable Spray Nozzle

- Brass valve stem
- Soft fingertip control
- Variable flow adjuster
- · Trigger guard

Item 755444 Model WN950U



<u>Net</u>

# **HoseCoil Professional Series Shut-Off Valve**

- · Fits standard washdown and garden hose fittings
- Swivel nut for proper alignment
- Brass fittings
- Rust proof
- · Large knobs for easy on-off

WV510 755445




# **Shut-Off Valve**

- · 2-Way splitter with shut-off for each side
- Fits standard washdown and garden hose fittings
- Swivel nut for proper alignment
- · Brass fittings
- Rust proof

Large knobs for easy on-off **WV520** 755446

I lbs





- Connects standard computers with the vessels instruments like chart plotter, GPS, speed log, echo sounder or gyro
- Connect any instrument transmitting NMEA and AIS-data, RS232/RS422 via W-LAN
- Boat owners can now upgrade their standard computer into a mobile chart plotter
- The range of the box is about 70 meters
- Always transmitting when your instruments are switched ON, that means you are always connected
- Box size: 6.5" L x 3.3" W x 1.4" H

<u>ltem</u>	<u>Model</u>	<u>Ship</u>	<u>Net</u>
257077	18003	I Ibs	\$693.99
		55	40,00,,

### Offshore Deck Fill Gauges

Revolutionary new Fuel Deck Fill Gauge that has made a major contribution to safety and pollution prevention during refuelling operations.

NEW

- See the exact tank level at the point of filling
- · Tank level is displayed on a blue LED display
- · The LED varies in brightness to compensate for ambient light levels, brighter in sunlight and dimmer at night
- · Prevents fuel spills during refueling
- 98% accuracy

3

- Operates under NMEA 2000
- · Easy to install
- · Cap has a recess for a standard opening key
- · Heavy duty O-ring seal to keep water out of the tank
- · Polished stainless steel
- · Gauges attach to the existing resistive analogue gauges with a single wire. No other wiring is required
- For 1.5" filler pipe

<u>tem</u>	<u>Model</u>	<u>Ship</u>	<u>Net</u>
800191	3210-D38 Diesel	5 lbs	\$292.99
800192	3210-G38 Gas	5 lbs	292.99

#### Offshore Multi Tank Display

The 3330 NMEA2000 MultiTank Display can show the tank levels of ALL the Fuel, Fresh Water, Grey Water, Black Water, Oil and Live Well tanks on a single graphical display. There can be multiple 3330 MultiTank Displays on a single network so the same information can be displayed in a multi station environment.



- Displays ALL the Fuel, Fresh Water, Grey Water, Black Water, Oil and Live Well Tanks
- tanks on a single display The unit can show 1,2 or 4 tanks at a time as either gauges, bar graphs or in digital form
- Displays are very user friendly
- DIN standard 4.33" x 4.33" graphical display Draws less than I50mA from the network
- Comes complete with a full installation and operation manual, combined power and
- Takes power from the NMEA2000 network and requires no additional wiring.
- Displays Tank Level and remaining volume in Liters, US Gallons or Gallons
- Displays Tank Names
- Single or Multiple tanks displayed
- Can be used in a multistation environment
- · Low and High Tank Level Alarms
- Rugged IP67 waterproof construction
- Single plug to NMEA 2000 bus

<u>ltem</u>	<u>Model</u>	<u>Ship</u>	<u>Net</u>
300193	3330	3 lbs	\$878.99

# Offshore NMEA 2000 **Fuel Level Sender**

The 3271 NMEA2000 Fuel Level Sender provides an accurate fuel level to the NMEA2000 marine network and reports it's level in 1% increments.

- High Accuracy
- No moving parts to stick or fail
- Self Calibrating
- Stores Tank Name and Tank Shape data
- Tank depths from 250mm to 2 Metres
- Easy to install
- Standard 5 bolt mounting
- Detects water in fuel, protect your engine from expensive damage
- Robust Stainless Steel Construction
- Single plug to NMEA 2000 bus
- Displays remaining capacity in Liters, US Gallons or in Gallons
- Up to 16 Fuel Level Senders can be connected to a single network
- Sender number is simply selectable at installation by means of the small rotary switch
- Draws less than 50mA from the network
- Comes complete with a full installation/operation manual, tank gasket, and combined power/signal cable

<u>item</u>	<u>IMOdel</u>	<u> 2015</u>	<u>iNet</u>
300194	3271-1000	2 lbs	\$247.99



**NEW PRODUCTS** 









# Ronstan 70 Series Ball Bearing Orbit Blocks

- Ultra Lightweight
- · Low friction 2-stage Orbital ball bearing system
- · Highest working load in its class
- · Easily fitted and securely retained Dyneema Link head Max

			Sheave	Rope	Working	<b>Breaking</b>				
<u>ltem</u>	Model	Description	<u>Dia</u>	Dia	Load	Load	Weight	Ship	<u>M.A.P.</u>	
600870	RF75101	Single	2-3/4"	1/2"	1540	3830	4.5 oz	I lbs	\$53.20	
600871	RF75111	Single, becket	2-3/4"	1/2"	1540	3080	5.0 oz	I lbs	61.00	
600872	RF75151	Cheek	2-3/4"	1/2"	1540	3080	4.3 oz	I lbs	52.04	
600873	RF75211	Double, becket	2-3/4"	1/2"	2420	4840	9.7 oz	I lbs	111.72	



### **Ronstan 70 Series** Ratchet Orbit Blocks

- · Fully automatic, load sensing ratchet engagement
- Up to 25:1 holding power
- · Easily fitted and securely retained Dyneema® Link head





				ı*ıax	ı*ıax				
			Sheave	Rope	Working	<b>Breaking</b>			
<u>ltem</u>	<u>Model</u>	Description	<u>Dia</u>	Dia	Load	Load	Weight	Ship	<u>M.A.P.</u>
600874	RF76101	Single, Auto	2-3/4"	3/8"	660	2750	5.3 oz	l lbs	75.96
600875	RF76111	Sngle, Bkt, Auto	2-3/4"	3/8"	660	2750	5.7 oz	l lbs	83.96
		600874 RF76101	ItemModelDescription600874RF76101Single, Auto	ItemModelDescriptionDia600874RF76101Single, Auto2-3/4"	Sheave Rope <u>Item Model Description Dia Dia</u>	Item         Model 600874         Description 100 RF76101         Discription 2-3/4"         Dia 2-3/4"         Dia 3/8"         660	Item         Model 600874         Description FF76101         Dia Dia Dia Load 2-3/4"         Load 3/8"         660         2750	Item         Model         Description         Dia 2-3/4"         Dia 3/8"         Load 660         Load 2750         Weight 5.3 oz	Sheave Rope         Working Breaking           Item         Model         Description Dia         Dia         Load Load Load Load         Weight Ship Weight Ship RF76101           600874         RF76101         Single, Auto         2-3/4"         3/8"         660         2750         5.3 oz I lbs









# Ronstan Ball Bearing & Ratchet Orbit Block Accessories

Max Working Breaking

				T TOI KING	DICARIIIE			
<u>ltem</u>	<u>Model</u>	Des	scription	<u>Load</u>	<u>Load</u>	Weight	Ship	<u>M.A.P.</u>
600876	RF2457	Star	nd Ùp Base	3080	1 <del>4</del> 00	1.8 oz	l Ibs	8.76
<u>ltem</u>	<u>Model</u>		Description			<u>Shi</u>	D	<u>M.A.P.</u>
600877	RF9006-1	2	Double Orbit Block L	₋ink		l lb	s	6.36
600878	RF70001		Retainer Clip Single 2	Pack				
			Suits RF75101, RF751	11, RF76101	RF76111	l lb	S	2.99
600879	RF70002		Retainer Clip Doubles	s 2 Pack				
			Suits RF752 I I			l lb	S	2.99
		- 4		1000	The second of		-	-

# Taylor Made Inflatable **Quick-Shade Top**

- Accommodates boat widths up to 5'7" and lengths to 10'8"
- Supported by shock-corded fiberglass pole framework that breaks down for convenient storage
- Constructed from Hot Shot fabric that is lightweight, water and UV resistant
- · After installation, the top sets up and attaches easily and comes down in minutes
- The large radius allows you to sit and operate the boat comfortably without crouching over and provides excellent headroom
- · Comes with shade top, frame, marine grade hardware, storage bag and instructions Item 454641 Model 12007OG Ship 5 lbs Net \$109.99

#### **Tectonic Recovery Mat**

A non-woven polypropylene geotextile that separates and filters waste while allowing water to pass through. Ideal to catch contaminants under your boat while power washing, sanding, etc.

- · Filters the copper, paint chips, biological growth,
- bottom sediment, wash water, and other contaminants · Water passes through a synthetic fiber mesh system down to very fine filtration
- · Recovery mats are typically placed under a boat before being blocked for winter storage. (Insures that the mats is in place for the spring bottom paint removal, sanding
- The waste and droppings from these activities will then be captured by the mat and not contaminate the soil or waterway through run-off
- After use, the pad is disposed properly as solid waste

Ship 8 lbs Model USF205NW Net \$249.99 Item 751147











E52116

E52118

#### Raymarine Marine Shield Cleaners The Marine Shield Professional Marine Finishing System is a high

performance line of uniquely formulated cleaners, sealants and compounds that effectively clean, restore, and protect boats with minimal effort and

maximum results. **MARINE ELECTRONICS SCREEN CLEANER** 

Keep your essential marine electronic displays clear and free of salt and smudges with our Marine Electronics Screen Cleaner. A unique molecular formula specifically designed to clean today's high tech sunlight viewable displays. Marine Shield is the only screen cleaner tested and approved by Raymarine for use on all Raymarine marine electronics displays.

- Contains no alcohol, detergents, or other harmful and abrasive ingredients.
- Non-streaking and non-smearing solution cleans all types of glass and coated surfaces
- The only screen cleaner tested and approved by Raymarine

<u>ltem</u>	Model	Description	<u>Size</u>	<u>Ship</u>	<u>M.A.P.</u>
752628	E52116	Screen Cleaner	2 fl. oz.	l lbs	14.99
CONCENT	RATED BOAT	WASH			

Super concentrated boat wash formula for fiberglass, aluminum and painted surfaces

- · Super concentrated economical formula
- Innovative formula suspends dirt particles so they are easily washed away
- Sheeting action helps prevent spotting
- Non Alkaline, pH balanced is safe to use on gel coats and waxed surfaces

752623	E52118	Boat Wash	22 fl. oz.	2 lbs	\$14.99
I KESTOKA	TION COMPO	UND			

Fast acting medium abrasive compound for gel coats and painted surfaces

- · Scratch, heavy swirl, and oxidation removal
- Medium abrasive compound for painted surfaces or gel coats
- Apply by hand or machine
- Easy on/off application

	E52114	Restoration Compound	22 fl. oz.	2 lbs	22.99
MARINES	FALANT	•			

Advanced resin polymer formula for fiberglass, gel coats, aluminum and painted surfaces

- · Provides a defensive shield against the harmful effects of salt water, acid rain, and ultra violet radiation
  - · Long lasting high gloss shine
- · Advanced formulation can be applied in direct sunlight

29.99 752625 E52113 Marine Sealant **HEAVY DUTY CLEANER** 

Fast acting, powerful cleaning formulation - Aggressively tackles tough stains on virtually all

- surfaces · Safe to clean fiberglass, sealed wood, vinyl, rubber, plastic, carpet, upholstery, canvas,
- metal fixtures and smooth leather Quickly penetrates to remove pollutants, black streaks, oils, stains, mineral deposits, salt spray, and stubborn grease and grime
- Unique formula tackles protein-based soils like blood, fish guts and vomit
- Safe to use on polished aluminum, virtually eliminates the staining and clouding caused by other spray cleaners
- · Powerful detergent formulation quickly penetrates and breaks downs (demulsifies) oils on sealed and unsealed surfaces

Marine Shield Heavy Duty cleaner contains no harsh chemicals plus:

- · NO phosphates
- · NO butyl solvents
- · NO corrosive caustics

 NO acids 752626 E52111 Heavy Duty Cleaner

24.99 64 fl. oz. E52112 14.99 752627 Heavy Duty Spray 24 fl. oz. 2 lbs



#### Raymarine Cantilever Mounting Socket Used to mount the fixed end of the tiller autopilot to a vertical

surface such as a cockpit sidewall Net \$59.99 Item 252120 Model D031 Ship I lbs



# Raymarine 10 Meter Radome Cable

For Raymarine C and E Series Radar. Includes (1) right angle connector.

**Model E55067** Item 257143 Ship 15 lbs Net \$179.99



# Maptech ChartKit Full Size Paper Chartbooks

**INCLUDES COMPANION CD** 

22" x 17" spiral bound full-color reproductions of U.S. government and private charts. Companion CDs include "Offshore Navigator Lite" software. Click your mouse to create a waypoint. Click again, and a route is created. Distances, bearings and GPS positions are calculated





# Maptech Waterproof Compact ChartKits

INCLUDES COMPANION CD

At half the size of the original ChartKit, each title covers approximately one-third the area of a full-size version. These titles are printed on tough, tear-resistant plastic pages that are also totally waterproof. All coastal U.S. titles include FREE Companion Charts for the region which may be downloaded to your PC.

Compact 12" x 17" size

• Pre-plotted courses and GPS waypoints for quick reference

• Digital charts & software for your PC for home planning & onboard navigation.

<u>ltem</u>	<u>Model</u>	<u>Region</u>	<u>Ship</u>	<u>Net</u>
805660	CCK031-01	Narragansett Bay	2 lbs	\$64.99
805661	CCK041-01	Upper Chesapeake Bay	2 lbs	64.99
805662	CCK091-01	Northern Bahamas	2 lbs	64.99
805663	CCKIII-0I	Virgn Islands	2 lbs	64.99



#### Maptech Digital Charts

- High resolution Raster Nautical Charts (RNC's) reproduced from original UKHO and Mexico charts
- BSB4 format
- Maptech's Offshore Navigator Lite software for viewing, planning and printing Minimum PC Requirements:
- Windows XP (Vista Compatibility on Chart Navigator & Chart Navigator Pro UK/IRL)
- DVD drive
- Video monitor resolution of 256 colors at 800x600 (or better)
- I GB of free disk space
- 32 MB of RAM
- Mouse or drawing equivalent

<u>Ship</u> Item Model Region Net **DVDRCAMEX** Mexico & Central America 257078 2 lbs \$134.99



#### Chart Navigator Software

- Raster Nautical Charts (RNC's)
- Select Satellite photos
- Maptech's Offshore Navigator software
- Autopilot interface
- Chart & Route Printing Minimum PC Requirements:

BSB4 Format

Select Tides and Currents

Real time GPS Tracking

- Windows XP (Vista Compatibility on Chart Navigator & Chart Navigator Pro UK/IRL) DVD drive
- Video monitor resolution of 256 colors at 800x600 (or better) I GB of free disk space 32 MB of RAM
- Mouse or drawing equivalent
- Industry-standard NMEA 0183 GPS Serial or USB connection cable

## Autopilot

- Connected GPS (as above)
  - Serial data connection cable
- Item Model 257079
  - **SWCNSCAMEX**
- Industry-standard NMEA 0183 Autopilot
- Autopilot interface is not required

Region Ship Mexico & Central America 2 lbs



Maptech Chart Navigator Update

New chart data is available for Chart Navigator users who purchased software before January 1, 2008 (everything sold after that date includes these data updates). Updated NOAA Raster Charts (RNCs)

Net

\$279.99



New wide-coverage satellite imagery Updated Marine Facilities Database

Model Net SWCNAV2008DATA \$94.99



#### Maptech Chart Navigator Pro Update

New chart data is available for Chart Navigator Pro users who purchased software before January 1,2008 (everything sold after that date includes these data updates).

- Updated NOAA Raster Charts (RNCs)
- Updated NOAA Vector Charts (ENCs)
- Updated Army Corps of Engineers Vector charts (IENCs)
- New wide-coverage satellite imagery
- Updated Marine Facilities Database

Model SWCNP2008DATA 2 lbs \$94.99



Maptech The Capn' Update

New chart data is available for The CAPN who purchased their software before January 1, 2008 (everything sold after that date includes these data updates).



257083

257082

- Updated NOAA Raster Charts (RNCs) Updated NOAA Vector Charts (ENCs)
- Updated Army Corps of Engineers Vector charts (IENCs)

<u>Model</u> Ship **SWCPTDATA-08** \$94.99

#### **Forte Carbon Sprit Kit**

Includes everything you need: an engineered carbon fiber sprit built to withstand loads and your choice of easy-to-mount deck hardware and sail attachment hardware. Created to retrofit boats 20 to 50 feet, the Sprit Kit makes fun downwind sailing affordable and simple.



Kit Includes:

- Carbon Fiber sprit painted with clear, two part polyurethane
- · Harken for attaching the tack block approximately 4" from the outboard end
- · Forward Saddle mount with mounting hardware
- Aft mount: your choice of: removable deck eye with pin or another saddle mount similar to the forward mount

Sprit Length ~ The sprit can be cut to length to fit your boat. To determine required length, note that sprits normally extend 24-30" beyond the bow and that one-third of the sprit length extends beyond the bow. For example, a sprit that extends 30" beyond the bow infers that at least 60" of the sprit be mounted on deck. If you want a retractable sprit, remember to pick a deck mounting location that accommodates the full sprit length.

<u>ltem</u>	<u>Model</u>	<b>Boat Size</b>	Tube Size	Length	Ship	<u>Net</u>
600867	Sprit Kit Small	15' to 27'	2" ID	6' - 8'	10 lbs	1496.99
600868	Sprit Kit Medium	27' to 33'	2.75" ID	8' - 10'	12 lbs	1805.99
600869	Sprit Kit Large	33' to 40'	3.5" ID	8' - 12'	15 lbs	2256.99
600880	Sprit Kit XLarge	40' to 50'	4.5" ID or 5" ID	8' - 12'	15 lbs	3467.99

#### **ATN Genog Sleeve**

Protects the furled sail without the sacrificial sun cover.

#### **Features**

- It does not alter or weigh down the sail.
- · No need to lower the sail to install the Sun Shield
- The ATN Sun Shield is hoisted with the spinnaker halyard.
- · It will keep it tight even in a strong breeze.
- It will not flog to self destruction.
- · It will protect the furled sail from the sun, weather and pollution



<u>ltem</u>	<u>Model</u>	Color/Description	<u>Ship</u>	Net/Foot
600883	GS-50	Navy / Up to 50 feet	l Ibs	\$10.99
600884	GS-75	Navy / Up to 75 feet	l lbs	13.99
600885	GS-100	Navy / Up to 100 feet	l lbs	18.99
600886	GS100+	Navy / Over 100 feet	2 lbs	25.99

#### Starbrite Caulk Rite Tool

This patent tool is a must to make an even clean caulked joint. No more getting caulk over you fingers when you try to smooth out the just applied caulk. This will make any caulking joint look like a professional did the job.

- · Great for applying a perfect bead of caulking
- · Great for applying grout between tiles
- No mess
- No edge marks
- No waste
- · Suitable for all types of sealant and caulking
- Fasy to clean

ltem	Model	Ship	Net
751162	92501	l Ibs	\$5.99

#### Starbrite Caulk-a-Way Tool

If you intend to do any caulking this is a tool that will make your life easier. Remove caulk - which can take hours - fast and easy with this patented

- Remove caulking with ease, get caulk out of those hard to reach corners
- No scratching
- No chemicals
- Reusable and suitable for silicone, latex

anu	aci yiic		
<u>tem</u>	Model	Ship	<u>Net</u>
751164	92401	l lhe	5 00





#### Seasense X-2 Kayak Paddle with Lightweight Aluminum Shaft

Feathered blade design for a more efficient stroke. Two piece construction for easy storage and 3 position adjustments for ease of use. Drip guards and Foam rubber grips for comfort.

- · Lightweight aluminum shaft
- Two-piece construction for easy storage
- Three-position adjustments

· Foam rubber grips for comfort

Shaft Blade <u>Model</u> Color Color Length Ship <u>Net</u> <u>Item</u> 453551 008682 Black Aluminum Black 4 lbs \$39.99





#### Navpod Precut Displays

- Unique Watertight Silicone Seal Keeps rain and spray off electrical connections on the back of electronics
- Tamperproof Special fasteners and wrench are included that provide security and convenience to leave electronics onboard
- · Concealed Wiring No loose wires are exposed to corrosion and UV damage
- Clean Installation The clean look of flush mounting. Mount your display where you can best see and reach it
- · Mounting Hardware Included for Housings Gaskets, Drill, Tap and Stainless Steel Screws FOR 9.5" PEDESTAL GUARDS

<u>ltem</u>	<u>Model</u>	<u>Description</u>	<u>Ship</u>	<u>Net</u>			
257135	RP152	For Garmin 4008 & 4208	5 lbs	\$248.99			
257136	RP153	For Garmin 5008 & 5208	5 lbs	248.99			
257137	GP1261	For Garmin 4012 & 4212	8 lbs	377.99			
257139	GP1062	For Garmin 5012 & 5212	8 lbs	360.99			
FOR 12" PEDESTAL GUARDS							
257138	GP2261	For Garmin 4012 & 4212	8 lbs	377.99			
257140	GP2062	For Garmin 5012 & 5212	8 lbs	360.99			



#### Navpod PowerPod Series 20/40

- Unique Watertight Silicone Seal Keeps rain and spray off electrical connections on the back of electronics
- Tamperproof Special fasteners and wrench are included that provide security and convenience to leave electronics onboard
- · Concealed Wiring No loose wires are exposed to corrosion and UV damage
- Clean Installation The clean look of flush mounting. Mount your display where you can best see and reach it
- · Mounting Hardware Included for Housings Gaskets, Drill, Tap and Stainless Steel Screws **POWERPOD SERIES NAVPODS FEATURE:**
- · New Industrial Design with Style Enhancements Built to complement the latest marine electronic products
- · Double Seal for Improved Watertight Integrity Outer silicone seal is complemented by an internal seal made of memory resistant urethane foam gasketing that keeps its shape and sealing ability with frequent opening and closing
- Polished Stainless Steel TamperProof Fasteners
  - Increased size and strength
  - New buttonhead style screws have deeper wrench recesses for better tightening power
  - UV stable polyurethane washers under each fastener improves sealing and holding power of fasteners
  - Longer 6" Tamperproof wrench for easier assembly
- 20/40 Base 20 degrees tilt for on-dash mounting, 40 degrees for overhead mounting
- Super Strong Swivel Tube
- Extra Large Swivel Washer

<u>ltem</u> 257141	<u>Model</u>	<u>Description</u>	<u>Ship</u>	<u>Net</u>
257141	PP5603	For Garmin 4212 W/SWIVL	I 0 lbs	\$377.99
257142	PP5062	For Garmin 5012 & 5212	10 lbs	377.99



# SPOT – The World's First Satellite Messenger

With the SPOT Satellite Messenger, you and your loved ones have peace of mind knowing help is always within reach. SPOT is the only device of its kind, using the GPS satellite network to acquire its coordinates, and then sending its location with a link to Google Maps™ and a pre-programmed message via a commercial satellite network. Unlike Personal Locator Beacons, SPOT does more than just call for help. Tracking your progress, checking in with loved ones, and non-emergency assistance are also available, all at the push of a button. And because it uses 100% satellite technology, it works where cell phones won't.

- Floats in water Waterproof to 1 meter for up to 30 minutes
- Small and Light Approximate Weight: 7.37oz.
- Designed for maximum reliability performs self-diagnostic tests at power on
- One-year warranty
- · Low-Cost satellite service subscription required (\$99.00/yr along with other optional packages)
- Unlimited Alert 9-1-1 usage is included as part of the low-cost SPOT service plan. Functional Specifications:

SPOT features four key functions that enable users to send messages to friends, family or emergency responders, based upon varying levels of need:

- Alert 9-1-1 Dispatch emergency responders to your exact location
- Ask for Help Request help from friends and family in your exact location
- Check In Let contacts know where you are and that you're okay
- Track Progress Send and save your location and allow contacts to track your progress using Google Maps™


Coverage - SPOT works around the world, including virtually all of North America, Europe and Australia, portions of South America, Northern Africa and Northeastern Asia, and hundreds or thousands of miles offshore of these areas. See coverage on findmespot.com for maps and current coverage. Includes 2 AA 1.5V lithium batteries.

Item 252123

Model SPOT-I

Ship 2 lbs

Net \$138.99



# **Navionics Bahamas Special Edition Charts**

NEW These "Special Edition" Charts comprise EXCLUSIVE 2007 survey data of the Bahamas, producing a level of detail and chart clarity never before seen in paper or electronic charts for Bahamas ports and passages. New Bahamas Special Edition Charts come in three versions: Gold+, Platinum and Platinum+.

Navionics Gold+ Charts include additional features for serious fishing and cruising such as an expanded wreck database, enhanced port services, and major coastal roads. And FREE Fish'N Chip high-definition fishing detail for LIS waters with purchase and mail-in coupo

rish in Chip high-denindon hishing detail for O3 waters with purchase and man-in coupon.							
<u>ltem</u>	<u>Model</u>	<u>Description</u>	Ship	Net			
257331	CF/926G	Gold+ CF Card	l Ibs	\$119.99			
257332	SD/926G	Gold+ SD Card	l lbs	119.99			

Navionics Platinum Charts the first and most award-winning multi-dimensional charts for dedicated plotters, provide a whole new perspective on navigation from complete coast pilots and satellite photo overlay, to 3D view and panoramic photos of ports and marinas. And FREE Fish'N Chip high-definition fishing detail for US waters with purchase and mail-in

coupon.				
<u>ltem</u>	<u>Model</u>	<u>Description</u>	<u>Ship</u>	<u>Net</u>
257333	CF/926P	Platinum CF Card	l Ibs	\$183.99
257334	SD/926P	Platinum SD Card	l lbs	183.99
DI ATIMILIA				

Navionics Platinum+ Charts the most advanced technology and best imaging available in multidimensional charts now provide georeferenced coast pilot, high resolution top-down photo overlay, full-view XGA panoramic pictures, improved 3D view, and FREE Fish'N chip high-definition fishing detail for US waters is INCLUDED on the same chip. Bahamas Special Edition Platinum+ includes 2 chips covering the SE coast and Bahamas

Taraban radinant managar I ampo co roring and all course and land land and							
<u>ltem</u>	Model	Description	<u>Ship</u>	<u>Net</u>			
257335	CF/906PP	Platinum+ CF Card	l lbs	\$457.99			
257336	SD/906PP	Platinum+ SD Card	l lbs	457.99			



### **Briter Innovations Bay Underwater LED Light**

This light adds ambiance to your boat and, for the fishermen, attracts fish.

- Powerful LED Underwater light
- Perfect for the small cruiser or trailer boat
- Surface mount design makes installation a snap
- No large holes... only one 1/4" hole to run the wire
- High quality Marine grade 316 stainless steel
- Adds ambiance and attracts fish for the fishermen
- Measures 3.5" in Diameter by 5/8" high
- Fastens with 3 each 8 x I" tapered screws
- Operates on input voltage between 10.5 14VDC
- Amperage draw of only .65A
- · Light produces a high power 450 Lumens! الماء الما

Diameter.	3-1/2	meignt:	3/0
Fastner Size:	8 x 1 Tapered	Voltage:	10.5 - 14\
Amperage:	.65A	Lumens:	450
Wire Length:	3M		
lean	Madal	Calan	

<u>ltem</u>	<u>Model</u>	<u>Color</u>	<u>Ship</u>	<u>Ne</u>
700463	BL-WH	White	2 lbs	\$315.99
700464	BL-BL	Blue	2 lbs	345.99
700464	BL-GR	Green	2 lbs	345.99
700468	BL-MKITSP St	rface Mount Kit for all Ba	y Lights allows for th	ne wire to b

**BL-MKITSP** Surface Mount Kit for all Bay Lights allows for the wire to be run up the transom for no holes below the waterline installation. Black.

32.99



# **Briter Innovations Canyon Underwater LED Light**

This light is designed for the yacht size boat and adds ambiance to your boat. For the fishermen, this light attracts fish with light emitting up to 100' off the boat.

- · Light produces a high power 850 Lumens! Thats 100' of light!
- · Perfect for the large yacht, Sportfish, Center Console or cruiser
  - Surface mount design makes installation a snap No large holes...only one I/4" hole to run the wire
- · High quality Marine grade 316 stainless steel for a lifetime of use
- Adds ambiance to your yacht and attracts fish for the fishermen
- Measures 4-5/8" in Diameter by 1-1/16" high
- Fastens with 3 each 8 x I" tapered screws
- Operates on input voltage between 10.5 30 VDC
- Amperage draw of only I.8 Amp
- · Comes with 3 foot of wire, power regulator and a 3 amp fuse
- · Available in ultra bright white, blue or green LED's

4-5/8" Diameter: Height: I-1/16" Fastner Size: 8 x I Tapered Voltage: 10.5-30 V Amperage: 1.8 A Lumens: 850 Wire Length: 3M

<u>ltem</u>	<u>Model</u>	<u>Color</u>	<u>Ship</u>	<u>Net</u>
700466	CY-WH	White	2 lbs	\$589.99
700467	CY-BL	Blue	2 lbs	645.99
700467	CY-GR	Green	2 lbs	645.99
700469	CY-MKITSP ur	face Mount Kit for all Car	nyon Lights allows fo	or the wire to
	he run un the tr	ansom for no holes helow	the waterline instal	lation Black

Furuno NMEA 2000 DST-800SF Depth Sensor Frequency: 235 kHz • NMEA 0183 interface

 Minimum depth 1.6 Ft Power consumption 40mA • Maximum depth 330 Ft • Power 11.5-25V DC

Item 257084

Model DST-800SF

Ship 2 lbs Net \$247.99

I lbs

36.99



#### Raymarine SeaTalk Backbone Extender

T-Pieces and 5-Way connectors are used to create drops for spurs in the backbone. Use this backbone extender to join 2 backbone cables together. A

terminator is required at each extreme end of the backbone. Use blanking plugs to protect any empty spur sockets from moisture and corrosion.

Item 256670 Model A06030 Ship I lbs Net \$15.00



# Simrad IS20 Wind Vane And Bracket

IS20 SPARE WIND TRANSDUCER (CABLE NOT INCLUDED)

The IS20 Wind Vane provides wind speed and wind direction via SimNet, so just like the depth sensor, you can connect it to any of the IS20 instruments regardless of location or function and enjoy system wide wind data.

Item 257112 Model 27118087 Ship I lbs Net \$364.99



# **Garmin Flush Mount Kit**

Flush Mounting Kit for the Garmin 500-Series Chartplotters and Sounders. Kit includes template and screws.

Item 257113 Model 010-10447-05 Ship I lbs Net \$25.99

**NEW PRODUCTS** 













#### **Performance Metals Premium Aluminum Sacrificial Anodes**

Manufactured from Navalloy to a military specification MIL-A-24779(SH). Navalloy is a high performance alloy! It contains aluminum, 5% zinc and traces of indium, which ensures that it stays active.

- Navalloy is more active than zinc so it gives better protection.
  Navalloy anodes last up to 30% longer than zinc anodes.
- · Navalloy anodes self-clean in freshwater.
- · Zinc anodes form a coating that stops them working within a few months.
- Navalloy anodes are essential for Mercury sterndrives.
- Zinc will not provide the correct protection.
- Navalloy anodes are recommended for both salt and freshwater on Mercury sterndrives.
- Navalloy anodes are environmentally friendly.
- Navalloy anodes will reactivate after exposure to the atmosphere.
- You should not mix different types of anodes on the same bonding system.
- Do not use magnesium anodes in salt or brackish water they will over-protect aluminum outdrives or hulls.

#### Patented Wear Indicator:

- · Imbedded plastic indicator
- · Appears in surface as anode corrodes
- Tells the boater when to change!
- No argument about need to replace
- US and PCT patents pending

	MA III			CI :			M 11	Б	CI ·	
<u>Item</u>	Model	Description	171.	Ship	Net Net	<u>ltem</u>	<u>Model</u>	<u>Description</u>	<u>Ship</u>	Net
755447	10108A	Mercury Alpha One Gen-One			\$38.99	755455	10274A	Volvo 280 Kit	2 lbs	27.99
	Kit Contains:	Trim Tab Flat (00049A)	Gimbal Hsg				Kit Contains:		Ring V18 (00161A)	
		3/4" Streamlined Shaft (C0750A	x) x2 7/16-14 x 1	3/4 5/5	2HC2	755457	100754		5-18 x 3/4 S/S SHCS x2	27.00
		Cellulose Fiber Gasket	D 0 10	• "		755456	10275A	Volvo 280 Dual Prop Kit	2 lbs	27.99
755448	1025A	Mercury Alpha I Gen I - Non		2 lbs	31.99		Kit Contains:		Prop Ring Duo Prop (001	
	Kit Contains:	Trim Tab (00044A)	Gimbal hsg.			755457	1007/4		/16-18 x 1/2 S/S Flat Hea	
		Gimbal Bolt Headnut (00052A)		3/4 3/3	3HC3	755457	10276A	Volvo 290 Kit	3 lbs	27.99
755449	10059A	Gasket	2 Washers	2 lbs	53.99		Kit Contains:	Anodic Bar (00112A) M8 1.25 x 25mm SS SHCS x2	Prop Ring V18 (00161A) 5/16-18 x 3/4 SS SHCS	
733447		Mercury Alpha One Gen 2 Kit Cavitation Plate (00041A)	Drive Trim Cylinde			755458	10277A	Volvo 290 Dual Prop Kit	2 lbs	27.99
	Kit Contains.	Trim Tab Flat (00049A)	Gimbal Hsg Block			733436		Anodic Bar (00112A)	Prop Ring Duo Prop (C	
		Bearing Carrier (00043A)	7/16-14 x 1 3/4 S/				KIL COIILAIIIS.	M8 x 1.25 x 25mm S/S SHCS x2		
		1/4 x 20 7/8 HH Screw x 2	1/4 Lockwasher x			755459	10278A	Volvo SX Kit	3 lbs	44.99
		10-32 x 5/8 HH Screw x 6	#10 Lockwashers			733437		Gimbal PLate (00117A)	Transom Plate (00162/	
755450	10060A	Mercury Bravo I Kit	#10 Lockwashers	2 lbs	44.99		rec Correans.	5/16-18 x3/4 S/S HH Screw x2	5/16 Plain Washer x2	"
		Cavitation Plate (00046A)	Drive Trim Cylind					5/16 Int. Lockwasher x2	1/4-20 x 1/2 SS HH Sc	rew x2
		Trim Tab Flat (00049A)	Bearing Carrier (		,			1/4 Int. Lockwasher x2		
		7/16-14 x 1 3/4 S/S SHCS	3/8 x 16 x 1 HH S		2	755460	10276AE	Volvo 290 Kit EXP	3 lbs	39.99
		3/8 Lockwasher x2	10-32 x 5/8 HH S	crew x6	1		Kit Contains:	Anodic Bar (00112A)	Prop Ring V18 (00161A	A)
		#10 Lockwashers x6						M8 x 1.25 x 25mm S/S SHCS x2	5/16-18 x 3/4 S/S SHC	Śx2
755451	10061A	Mercury Bravo 2 & 3 Kit		2 lbs	37.99	755461	10277AE	Volvo 290 Dual Prop PEXP	2 lbs	39.99
	Kit Contains:	Cavitation Plate (00046A)	Drive Trim Cyline	r (00047	7A) x2		Kit Contains:	Anodic Bar (00112A)	Prop Ring Duo Prop (	00116A)
		Trim Tab Flat (00047A) x2	7/16-14 x1 3/4 S/S					M8 x 1.25 x 25mm S/S SHCS x2	5/16/18 x 1/2 S/S Flat	
		3/8 x 16 x 1 HH Screw x2	3/8 Lockwaser x2			755462	10182A	Yamaha 200-250HP 4STK	2 lbs	30.99
		10-32 x 5/8 HH Screw x4	#10 Lockwashers				Kit Contains:	,	Transom Anode (00127)	
755452		Mercury Bravo 3 (2004) Kit		3 lbs	46.99			M10-1.25 x 45mm S/S SHCS	M6 x Imm x25mm S/S I	Bolt x4
	Kit Contains:	Cavitation Plate (00046A)	Trim Tab Flat (000			7554/0	101024	6mm Flat Washer x4	2.11	20.00
		Trim Tab Flat (00268A)	7/16-14 x 1 3/4 S/			755463	10183A	Yamaha Outboard 150HP Kit	2 lbs	28.99
		7/16-14 x 1 1/4 S/S SHCS	3/8 x 16 x 1 HH S				Kit Contains:	( , , , ,	Transom Anode (00127	
		3/8 Lockwasher x2 #10 Lockwashers x4	10-32 x 5/8 HH S 5/16-18 x1 1/2 HF					M10-1.25 x 45mm S/S SHCS 6mm Split Lockt Washer	M6 Imm x 25mm S/S B	OOIL X4
		5/16 Plain washer	5/16 Int Lockwash		'	755464	10184A	Yamaha Outboard 150HP CROT	2 lbs	29.99
755453	10195A	Mercury Bravo Prop Retrofit	3/ 10 IIIL LOCKWasi	2 lbs	52.99	733404			ransom Anode (00127A)	27.77
755454	10202A	Mercury Verado Kit		2 lbs	40.99		Kit Contains.		16 x Imm x 25mm S/S Bo	olt v4
755757			Side Pocket An					6mm Split Lockt Washer x4	10 X 1111111 X 25111111 5/5 DC	
	reic Corteanis.	Outboard Power Trim (00052A						onin spile Locke Washer XT		
		M6 x Imm x 40mm S/S Bolt	M6 Nut	.,						
		M6 x Imm x 25mm S/S Bolt x4		ner x4						
TIELL	Collinite Liquid Fiberglass Boat Cleaner									



# ollinite Liquid Fiberglass Boat Cleanei

Easily removes the following from fiberglass finishes:

- Dirt
- Film
- Oxidation
- Oil
- Grease
- Rust
- · Exhaust stains


Restores the original color quickly without hard rubbing or buffing. Leaves a chemically clean surface to which Collinite waxes can bond perfectly. Increases long-lasting brilliance and performance of protective wax coating

Item 751155 Model 920

Ship 2 lbs

Net \$8.99

Cleane



153216

Ronstan ClearStart Sailing Watch
The Ronstan range of Clear Start sailing timers and

The Ronstan range of Clear Start sailing timers and watches cover an array of styles, sizes and functions which cater for all needs. With every aspect of race timing covered plus every-day watch modes, and without the clutter of confusing and unnecessary functions every sailor will find a Clear Start model to enhance their on water performance.

- Specialist Sailing Timer Functions
- Countdown repeat option
- Countdown and Up to show elapsed time for handicap races
- 5,4,1,0 ISAF start sequence pre-programmed with audible warning signals (can be silenced if preferred)
- 5 minute, 3 minute and multiples of 1 minute programs as well
- "Sync" button for instant synchronisation if a gun is missed
- Shock Resistant Construction
- · ABS Case with integrated soft touch PU Strap
- · Heavy-duty stainless steel buckle
- Prominent red start/stop button
- 26mm (I") round display size
- Large 10mm (3/8") digit height
- · Electro-luminescent backlight feature
- Water resistant to 5 ATM (50m, I 50ft)
- Calendar Function (date/month or month/date)
- Daily alarm function (for wake up calls etc)
- Chronograph/stop watch function

#### NEWD Ronstan ClearStart Race Watch

The Ronstan range of Clear Start sailing timers and watches cover an array of styles, sizes and functions which cater for all needs. With every aspect of race timing covered plus every-day watch modes, and without the clutter of confusing and unnecessary functions every sailor will find a Clear Start model to enhance their on water performance.

- Specialist Sailing Timer Functions
- Countdown repeat option
- · Countdown and Up to show elapsed time for handicap races
- 5,4,1,0 ISAF start sequence pre-programmed with audible warning signals (can be silenced if preferred)
- 5 minute, 3 minute and multiples of 1 minute programs as well
- · "Sync" button for instant synchronisation if a gun is missed
- Shock Resistant Construction
- ABS and stainless steel case
- Removable (solid pin) soft touch PU strap
- Heavy-duty stainless steel buckle
- Prominent face mounted start/stop button
- 26mm (I") round display size
- Large 10mm (3/8") digit height
- Electro-luminescent backlight feature
- Water resistant to 5 ATM (50m, I50ft)
- Calendar function (date/month or month/date)
- Daily alarm function (for wake up calls etc)

RF4032

• Chronograph/stop watch function Item <u>Model</u>

Ronstan ClearStart
Regatta Watch

The Ronstan range of Clear Start sailing timers and watches cover an array of styles, sizes and functions which cater for all needs. With every aspect of race timing covered plus every-day watch modes, and without the clutter of confusing and unnecessary functions

every sailor will find a Clear Start model to enhance their on water



- Countdown repeat option
- · Countdown and Up to show elapsed time for handicap races
- 5,4,1,0 ISAF start sequence pre-programmed with audible warning signals (can be silenced if preferred)

<u>Ship</u>

l lbs

- 5 minute, 3 minute and multiples of 1 minute programs as well
- "Sync" button for instant synchronisation if a gun is missed
- Shock Resistant Construction
- · Rugged and fashionable polished stainless steel case
- · Length adjustable, solid link stainless steel strap
- Tri-fold strap closure with security clip
- 26mm (I") round display size
- Large I 0mm (3/8") digit height
- Electro-luminescent backlight feature
- Water resistant to 10 ATM (100m, 300ft)
- Calendar function (date/month or month/date)
- Daily alarm function (for wake up calls etc)
- Chronograph/stop watch function

 Item
 Model
 Ship
 Net

 153217
 RF4036
 I lbs
 \$126.99

#### Kuuma Stow-N-Go Barbecue

**AVAILABLE FOR A LIMITED TIME ONLY!** 

Same as the Stow 'N Go, with more features, at cheaper price! This barbecue is great for the boat, park or campground.

Features:

- · Refillable LPG or disposable bottles
- 13000 BTU
- 145 sq. in. cooking surface
- 100% stainless construction
- Locking lid
- · Fold away integral legs
- · Removable grease tray
- Plastic Handle
- Food Tray
- Peizo Ignition

Item 400699 Model 83712 Ship 20 lbs Net \$99.99



# Kuuma Barbecue Replacement Parts

	Kepiuteillelli Pulis								
<u>ltem</u>	<u>Model</u>	<u>Description</u>	<u>Ship</u>	<u>Net</u>					
400661	82004	Sea Cook HP Regulator	l lbs	\$17.99					
400662	83957	Burner for Grill 83715 83730	l lbs	29.99					
400663	82007	Burner for Grill 83741 82000	l lbs	17.99					
400664	83959	7" X 13" Heat Plate for Grill 83730	l lbs	21.99					
400665	83908	9" X 17" Heat Plate for 83722 83790 837221	l lbs	25.99					
400666	16211	9" X 14" Heat Plate for Grill 83715	l lbs	21.99					
400667	82916	12" Diameter Heat Plate for Grill 83741	l lbs	17.99					
400668	171563	9.5" X 18.5" Heat Plate for Grill 83756	l lbs	25.99					
400669	83905	9" X 18" Cook Rack for 83722 83790 83720	l lbs	19.99					
400670	171504	11" X 19" Cook Rack for Grill 83735	l lbs	25.99					
400671	16213	9" X 14" Cook Rack for Grill 83715	l lbs	19.99					
400672	83955	7" X 13" Cook Rack for Grill 83730	l lbs	17.99					
400673	171505	10" X 19" Cook Rack for Grill 83756	l lbs	25.99					
400674	82912	13" Diameter Cook Rack for Grill 83741	l lbs	17.99					
400675	82003	Cook Rack for Grill 82000	l lbs	17.99					
400676	83906	18.75" Grease Tray for Grill 83722, Pre 2008	I Ibs	12.99					
400677	80102	18" Grease Tray for 83722 83790 837221	l lbs	12.99					
400678	16410	II" x II" Grease Tray for Grill 83735	l lbs	15.99					
400679	16221	15" Grease Tray for Grill 83715	I Ibs	12.99					
400680	171515	4.5"X7" Grease Tray for Grill 83756	l lbs	12.99					
400681	82019	Sea Cook Mount 82000	l lbs	21.99					
400682	82918	Sea Chef Handle	l lbs	8.99					
400683	83784	Knob for Mounts	l lbs	1.99					
400684	15103	Spark Plug Wire for Grill	l lbs	12.99					
400685	83904	Piezo Igniter for Grills	I lbs	12.99					
	Wasses Wasses								



Net

\$76.99

#### Kuuma Water Heater Parts

<u>ltem</u>	<u>Model</u>	<u>Description</u>	<u>Ship</u>	Net
400686	15214	Thermostat 120 or 220	l lbs	\$27.99
400687	14121	Water Heater Element, I20V	I lbs	27.99
400688	14122	Water Heater Element, 220V	I lbs	27.99
400689	40002	Water Heater TCV Valve	I lbs	34.99
400690	14456	High Temp Limiter, 120V	I lbs	25.99
400691	14457	High Temp Limiter, 220V	l lbs	25.99
400692	14154	Water Heater Nylon Drain Valve	I lbs	17.99
400693	14133	Water Heater Temperature Relief Valve	I Ibs	25.99

#### **Polyplanar Waterproof Full-Size Box Speakers**

- Full size box speakers with a two-way vented port design offer full range response.
- 100 watt RMS maximum power input per speaker.
- 5-1/4" polypropylene main cone.
- · Two way vented port design.
- Stainless Steel Grille stands up to harsh marine effects.
- · Heavy Duty ABS Plastic enclosures.
- Includes gimbal mounts.

Model MA9060 Item 253851





# Polyplanar 5" Poly-Planar **Titanium Waterproof Speakers**

The MA-8505 is a 5" waterproof, ultra low magnetic field, 200 watt per pair speaker. Available in white or black color to compliment the exterior or interior of any yacht. These three way speaker are perfect for replacement



or upgrade of existing speakers and the magnets will not interfere with navigation equipment.

#### Features:

- · Colorfast plastic frame withstands UV rays
- Anti-magnetic design
- Waterproof construction throughout.
- · Rugged powder coated aluminum grill.
- · 3-way design with mylar tweeter and midrange
- · Available in Black and White

#### **Specifications**

- Peak Power: 200 watts / pair
  Continuous Power: 50 W RMS / speaker
- Speaker Impedance: 4 ohm
- ASTM UV and Salt Spray Test: meets or exceeds 600hrs
- Weight (each): Ilb 9oz
- Mounting Depth: 2.5" (64mm)
- Outside Grill: 6" (153mm)
- Cutout: 4.5" (115mm)

Item 256046 Model MA-8505 Ship II lbs

Net \$144.99



